

Starbar Cattle Armor 1% Synergized Pour On Safety Data Sheet Issue date: 03/07/2016 Revision date: 02/14/2024 Supersedes: 07/22/2021

Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Name	: Starbar Cattle Armor 1% Synergized Pour On
Synonyms	: 100209003, 100209004, EPA Reg. No.: 89459-70
.2. Recommended use and restriction	ns on use
Recommended use	: Insecticide.
Restrictions on use	: Avoid contact with eyes, skin and clothing. Avoid inhalation of vapors or fumes. Do NOT take internally. Keep out of reach of children and domestic animals.
.3. Supplier	
Central Garden & Pet 1501 E. Woodfield Road, Suite 200W Schaumburg, IL 60173 - United States www.starbarproducts.com	
.4. Emergency telephone number	
Emergency number	: 1-800-347-8272 1-800-424-9300 - CHEMTREC 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted
SECTION 2: Hazard(s) identificatio	n
2.1. Classification of the substance or	mixture
GHS US classification	
Specific target organ toxicity (single exposure Aspiration hazard Category 1	e) Category 1 Causes damage to organs. May be fatal if swallowed and enters airways
2.2. GHS Label elements, including pr	ecautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	GHS08
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	 May be fatal if swallowed and enters airways Causes damage to organs (nervous system).
Precautionary statements (GHS US)	 Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Immediately call a poison center or doctor. If exposed: Call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Precautionary statements (GHS US) 2.3. Other hazards which do not result	Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Immediately call a poison center or doctor. If exposed: Call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
	Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Immediately call a poison center or doctor. If exposed: Call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3. Other hazards which do not result Other hazards which do not result in classification	 Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Immediately call a poison center or doctor. If exposed: Call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. t in classification This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.
2.3. Other hazards which do not result Other hazards which do not result in classification 2.4. Unknown acute toxicity (GHS US)	 Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Immediately call a poison center or doctor. If exposed: Call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. t in classification This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.
2.3. Other hazards which do not result Other hazards which do not result in classification 2.4. Unknown acute toxicity (GHS US) Not applicable	 Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Immediately call a poison center or doctor. If exposed: Call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. t in classification This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.
2.3. Other hazards which do not result Other hazards which do not result in classification	 Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Immediately call a poison center or doctor. If exposed: Call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. t in classification This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Starbar Cattle Armor 1% Synergized Pour On Safety Data Sheet

2.	Mixtures		
Name		Product identifier	%
Permet	hrin	(CAS-No.) 52645-53-1	1
Piperor	nyl butoxide	(CAS-No.) 51-03-6	1
Petrole	um distillates, hydrotreated (mild) heavy paraffinic, hydrotreated (mild) light paraffinic, white mineral oil	(CAS-No.) 64742-54-7, 64742-55-8, 8042-47-5	> 93.1
Non-ha	zardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.
First-aid measures after ingestion	: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician immediately. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/effects after inhalation	: Harmful if inhaled. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.
Symptoms/effects after ingestion	: Permethrin effects the nervous system. Aspiration Hazard - may be fatal if swallowed and enters airways.
4.3. Immediate medical attention and spec	cial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	ng media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Avoid heavy hose streams.
5.2. Specific hazards arising from the che	-
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and pre	
Firefighting instructions	: Do not allow fire fighting water to escape into waterways or sewers. Evacuate area. Move
	containers away from the fire area if this can be done without risk. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measure	Iros
6.1. Personal precautions, protective equi	
	prient and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapors, fumes, spray. Take precautionary measures against static discharges.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Positive pressure self-
	contained breathing apparatus (SCBA). For further information refer to section 8: Exposure controls/personal protection.
Emergency procedures	: Do NOT wash away into sewer. Avoid release to the environment. Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area. Stay upwind. Wear appropriate personal protective equipment, avoid direct contact. Static accumulator. This material can accumulate static charge and can be ignited by static discharge. Take precautionary measures against static discharges.
6.2. Environmental precautions	
Avoid release to the environment	

Starbar Cattle Armor 1% Synergized Pour On

Safety Data Sheet

6.3. Methods and material for conta	nment and cleaning up
Methods for cleaning up	: Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Do not flush to sewer or allow to enter waterways. Wear appropriate personal protective equipment, avoid direct contact.
SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment. Static accumulator. This material can accumulate static charge and can be ignited by static discharge. Take precautionary measures against static discharges.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep only in original container. Store away from excessive heat and high energy sources of ignition.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Petroleum distillates, hydrotreated (mild) heavy paraffinic, hydrotreated (mild) light paraffinic, white mineral oil (64742-54-7, 64742-55-8, 8042-47-5)		
ACGIH	ACGIH OEL TWA	5 mg/m³
ACGIH	ACGIH OEL STEL	10 mg/m ³

8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls

: Avoid release to the environment.

Individual protection measures/Personal protective equipment 8.3.

Personal protective equipment:

See product label for specific PPE instructions.

Hand protection:

Wear chemical resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton

Eye protection:

Safety glasses

Skin and body protection:

Wear long-sleeved shirt, long pants, socks and shoes

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection. Applicators using hand-held foggers or fog/mist generators in indoor spaces must wear: alf-face, full-face or hood-style NIOSH-approved respirator with a dust/mist filtering cartridge (NIOSH approval number prefix TC-21C), a canister approved for pesticides (NIOSH approval number prefix TC-14G), or a cartridge or canister with any N, R, P, or HE filter.



SECTION 9: Physical and chemical properties		
9.1. Information on basic p	Information on basic physical and chemical properties	
Physical state	: Liquid	
Appearance	: Clear amber liquid	
Color	: Amber	
02/14/2024	US - en	3/7

Starbar Cattle Armor 1% Synergized Pour On Safety Data Sheet

Odor	: Slight solvent
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 127 °C (260 °F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.848 g/ml (7.07 lb/gal)
Solubility	: Insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity		
10.1.	Reactivity	
The product is non-reactive under normal conditions of use, storage and transport.		
10.2.	Chemical stability	
Stable u	inder normal conditions.	
10.3.	Possibility of hazardous reactions	
No dang	perous reactions known under normal conditions of use. Hazardous polymerization will not occur.	
10.4.	Conditions to avoid	
Excessi	ve heat. Prevent the build-up of electrostatic charge.	
10.5.	Incompatible materials	
Strong a	acids. Strong bases. Strong oxidizing agents.	
10.6.	Hazardous decomposition products	
Under n	ormal conditions of storage and use, hazardous decomposition products should not be produced.	
SECT	ON 11: Toxicological information	

11.1. Information on toxicological effects

Permethrin (52645-53-1)	
LD50 oral rat	adult female LD50 • 2280 mg/kg; adult male LD50 • 3580 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	5.3 mg/l/4h
Piperonyl butoxide (51-03-6)	
LD50 oral rat	4300 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified

Starbar Cattle Armor 1% Synergized Pour On Safety Data Sheet

Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Causes damage to organs.
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

Potential health effects

Inhalation	
Acute	: Harmful if inhaled. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.
Chronic	: Repeated or prolonged inhalation may cause respiratory irritation.
Skin	
Acute	: Contact with permethrin may cause reversible skin sensations (parethesia) which may include numbing, burning or tingling.
Eye	
Acute	: May cause mild eye irritation.
Ingestion	
Acute	: Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema. Harmful if ingested. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.
Mutagenicity	: Permethrin was not mutagenic in a battery of in vitro and in vivo tests. Piperonyl butoxide was not mutagenic in a battery of tests.
Carcinogenicity	: Permethrin is not classified as carcinogen by OSHA, IARC or NTP. Piperonyl butoxide is not classified as a carcinogen by IARC, NTP, OSHA.
Reproductive Effects	: Permethrin does not cause birth defects or adverse effects on reproduction. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits.

SECTION 12: Ecological information

12.1. Toxicity

LC50 Acute fish 1	0.00079 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute fish 2	0.0022 mg/l (Exposure time: 96h - Atlantic silverside)
LC50 Acute crustacea 1	0.000019 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0001 mg/l (Hexagenia bilineuta)
NOEC Chronic fish 1	0.0003 mg/l
NOEC Chronic fish 2	0.00083 mg/l (Sheepshead minnow)
NOEC Chronic crustacea 1	0.000039 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.000011 mg/l (Mysid shrimp)
Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)

	Permethrin (52645-53-1)	
	Persistence and degradability	Permethrin: not rapidly biodegradable.

Starbar Cattle Armor 1% Synergized Pour On

Safety Data Sheet

2.3. Bioaccumulative potential	
Permethrin (52645-53-1)	
Partition coefficient n-octanol/water (Log Pow)	5.95
Bioaccumulative potential	Permethrin: Bioconcentration factor (BCF) 300; Does not bioaccumulate.
2.4. Mobility in soil Permethrin (52645-53-1)	
Mobility in soil	Permethrin: Immobile in soil
2.5. Other adverse effects	
Starbar Cattle Armor 1% Synergized Pour On	
Ecological Fate	This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

SECTION 13: Disposal cons	iderations
----------------------------------	------------

13.1. Disposal methods

Product/Packaging disposal recommendations

: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: 1	Fransport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IMDG	UN3082	Packaging greater than 5 L: Environmentally hazardous substance, liquid, n.o.s (Permethrin and Piperonyl butoxide)	9	111	Marine pollutant
ΙΑΤΑ	UN3082	Packaging greater than 5 L: Environmentally hazardous substance, liquid, n.o.s (Permethrin and Piperonyl butoxide)	9	111	Acute aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

Permethrin (52645-53-1)	
Subject to reporting requirements of United State	es SARA Section 313
SARA Section 313 - Emission Reporting	1 %
Piperonyl butoxide (51-03-6)	
Listed on the United States TSCA (Toxic Substan Subject to reporting requirements of United State	
SARA Section 313 - Emission Reporting	1 %
Petroleum distillates, hydrotreated (mild) hea 8, 8042-47-5)	vy paraffinic, hydrotreated (mild) light paraffinic, white mineral oil (64742-54-7, 64742-55-
Listed on the United States TSCA (Toxic Substan	nces Control Act) inventory
EPA Labelling	
EPA Registration Number	89459-70
requirements under federal pesticide law. These	y the United States Environmental Protection Agency and is subject to certain labeling requirements differ from the classification criteria and hazard information required for safety on-pesticide chemicals. The hazard information required on the pesticide label is reproduced aportant information, including directions for use.
FIFRA Hazard statements	Caution
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	Contains Petroleum distillate. Harmful if inhaled. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the

Starbar Cattle Armor 1% Synergized Pour On

Safety Data Sheet

	toilet. Wear long-sleeve shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.
FIFRA First aid	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia hazard.
FIFRA Environmental hazards	This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash-waters. Under some conditions, it may also have a potential for transport into surface water in runoff (primarily adsorbed to suspended soil particles), for several months or more after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently, flooded areas, and areas overlying extremely shallow groundwater, areas with infield canals or ditches that drain to surface water, areas not separated from adjacent surface waters waters with vegetated filter strips, and areas over-lying tile drainage system that drain to surface waters. To protect the environment, do not allow pesticide to enter or run-off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

15.2. US State regulations

No additional information available

nation
: 07 March 2016
: 14 February 2024
: 22 July 2021

Indication of changes: Revised Sec. 11: Toxicological information.

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.