

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock
 Synonyms : 300530115, 300530116, EPA Reg. No.: 2724-262

1.2. Recommended use and restrictions on use

Recommended use : Insecticide.
 Restrictions on use : Avoid contact with eyes, skin and clothing. Avoid inhalation of vapors or fumes. Do NOT take internally. Keep out of reach of children and domestic animals. Do not use or store near heat or open flame.

1.3. Supplier

Wellmark International
 1501 E. Woodfield Road, Suite 200W
 Schaumburg, IL 60173 - United States
 www.starbarproducts.com

1.4. Emergency telephone number

Emergency number : 1-800-347-8272
 1-800-424-9300 - CHEMTREC
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	Combustible liquid
Acute toxicity (oral) Category 4	Harmful if swallowed
Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2A	Causes serious eye irritation
Carcinogenicity Category 2	Suspected of causing cancer
Reproductive toxicity Category 1B	May damage fertility or the unborn child
Specific target organ toxicity (single exposure) Category 1	Causes damage to organs
Specific target organ toxicity (single exposure) Category 3	May cause drowsiness or dizziness
Specific target organ toxicity (single exposure) Category 3	May cause respiratory irritation
Specific target organ toxicity (repeated exposure) Category 2	May cause damage to organs through prolonged or repeated exposure
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



GHS07

GHS08

Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Combustible liquid
 Harmful if swallowed
 May be fatal if swallowed and enters airways
 Causes skin irritation
 Causes serious eye irritation
 May cause respiratory irritation
 May cause drowsiness or dizziness
 Suspected of causing cancer
 May damage fertility or the unborn child
 Causes damage to organs (nervous system)
 May cause damage to organs through prolonged or repeated exposure

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock

Safety Data Sheet

Precautionary statements (GHS US) :

- : Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wash hands, forearms and face thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Immediately call a poison center or doctor.
- Rinse mouth.
- Do NOT induce vomiting.
- IF ON SKIN: Wash with plenty of water.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- If inhaled: Remove person to fresh air and keep comfortable for breathing.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.
- If exposed: Call a poison center/doctor.
- Get medical advice/attention if you feel unwell.
- In case of fire: Use Water spray; Dry powder; Alcohol-resistant foam; Carbon dioxide to extinguish.
- Store in a well-ventilated place. Keep container tightly closed.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This pesticide is toxic to fish and aquatic invertebrates. This product is highly toxic to bees exposed directly to residues. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Phosmet	(CAS-No.) 732-11-6	11.75
Naphthalene	(CAS-No.) 91-20-3	0.1 – 0.73
Aromatic hydrocarbons	(CAS-No.) N/A	60.1 – 76.1
Naphthalene, 1-methyl-	(CAS-No.) 90-12-0	0.73 – 3.6
Naphthalene, 2-methyl-	(CAS-No.) 91-57-6	0.73 – 3.6
Methanol	(CAS-No.) 67-56-1	1.1 – 1.8
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician immediately. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock

Safety Data Sheet

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: Causes drowsiness and dizziness. Exposure to phosmet (active ingredient) may result in cholinesterase depression. Causes respiratory irritation. Repeated and prolonged exposure via inhalation may be harmful.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed. Aspiration Hazard - may be fatal if swallowed and enters airways. Exposure to phosmet (active ingredient) may result in cholinesterase depression.
Chronic symptoms	: Suspected of causing cancer. May damage fertility or the unborn child.

4.3. Immediate medical attention and special treatment, if necessary

This product contains an organophosphate insecticide and a cholinesterase inhibitor. If signs of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Probable mucosal damage may contraindicate the use of gastric lavage. If ingested, do not induce vomiting. May present aspiration hazard. Usual symptoms of organophosphate poisoning in humans include: headache, blurred vision, weakness, nausea, discomfort in the chest, vomiting, abdominal cramps, diarrhea, salivation, sweating, pin-point pupils. Usual symptoms of poisoning in animals include: salivation, labored breathing, gastrointestinal disturbance, tremors, staggering, and pin-point pupils. Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Alcohol-resistant foam. Carbon dioxide.
Unsuitable extinguishing media	: Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Fire hazard	: Combustible liquid. Containers may explode when heated. Product may accumulate electrostatic charges that may cause fire by electrical discharges.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Do not allow fire fighting water to escape into waterways or sewers. Evacuate area. Move containers away from the fire area if this can be done without risk. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Do not touch or walk on the spilled product. Wear appropriate personal protective equipment, avoid direct contact. No flames, no sparks. Eliminate all sources of ignition.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. For further information refer to section 8: Exposure controls/personal protection.
Emergency procedures	: Evacuate unnecessary personnel. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if safe to do so. Ventilate area. Do NOT wash away into sewer. Avoid release to the environment. Wear appropriate personal protective equipment, avoid direct contact. Take precautionary measures against static discharge. Turn off electric power to area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Do not flush to sewer or allow to enter waterways. Wear appropriate personal protective equipment, avoid direct contact. All equipment used when handling the product must be grounded.
-------------------------	--

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing fumes. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Avoid excess heat. Keep container tightly closed. Keep only in original container. Avoid extreme temperatures. Keep from freezing. Do not store near heat or open flame. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep away from ignition sources.
- Incompatible materials : Strong oxidizers. Heat, sparks, open flame.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Naphthalene (91-20-3)		
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	Remark (ACGIH)	Hematologic eff; URT & eye irr; Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
OSHA	OSHA PEL (TWA) (mg/m ³)	50 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	10 ppm
IDLH	US IDLH (ppm)	250 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	50 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	75 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	15 ppm
Naphthalene, 1-methyl- (90-12-0)		
ACGIH	ACGIH TWA (ppm)	0.5 ppm
Naphthalene, 2-methyl- (91-57-6)		
ACGIH	ACGIH TWA (ppm)	0.5 ppm
ACGIH	Remark (ACGIH)	LRT irr; lung dam
Methanol (67-56-1)		
ACGIH	ACGIH TWA (ppm)	200 ppm (8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	250 ppm (15 minutes TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea
OSHA	OSHA PEL (TWA) (mg/m ³)	260 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	200 ppm 8 hours
NIOSH	NIOSH REL (TWA) (ppm)	200 ppm 10 hours
NIOSH	NIOSH REL (STEL) (ppm)	250 ppm 15 minutes

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock

Safety Data Sheet

8.2. Appropriate engineering controls

- Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear chemical resistant gloves

Eye protection:

Wear chemical splash safety goggles

Skin and body protection:

Wear long-sleeved shirt, long pants, socks and shoes

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear light amber to medium brown liquid
Color	: Light amber to medium brown
Odor	: Strong, unpleasant, varnish-like
Odor threshold	: No data available
pH	: 4.6 (1% aq. solution)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 226.67 °C (440 °F)
Flash point	: 86.67 °C (188 °F) TCC (Tagliabue Closed Cup)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.036
Bulk density	: 8.42 lb/gal
Solubility	: Insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 100 cP
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

9.2. Other information

No additional information available

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur.

10.4. Conditions to avoid

Do not freeze. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Excessive heat > 50 °C (> 110° F.).

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition may occur when heated producing oxides of carbon and nitrogen, volatile hydrocarbon vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock	
LD50 oral rat	362 mg/kg
LD50 dermal rabbit	> 2100 mg/kg
LC50 inhalation rat (mg/l)	> 2.1 mg/l/4h

Naphthalene (91-20-3)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity, Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list?	Yes

GHS-US Properties	Classification
Acute toxicity (oral)	Harmful if swallowed.
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Suspected of causing cancer.
Reproductive toxicity	May damage fertility or the unborn child.
Specific target organ toxicity (single exposure)	Causes damage to organs. May cause drowsiness or dizziness. May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	May be fatal if swallowed and enters airways.

Potential health effects

Inhalation

- Acute : May cause drowsiness and dizziness. Contains phosmet which produces cholinesterase inhibition in experimental animals. Symptoms of cholinesterase inhibition include salivation, sweating, headache, nausea, muscle twitching, tremors, uncoordination, blurred vision, tears, abdominal cramps, diarrhea, and chest discomfort. Severe cases of cholinesterase inhibition may lead to convulsions, pulmonary edema, respiratory failure, and death. Causes respiratory irritation.
- Chronic : Repeated and prolonged exposure via inhalation may be harmful.

Skin

- Acute : Causes skin irritation.

Eye

- Acute : Causes eye irritation.

Ingestion

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock

Safety Data Sheet

Acute : Harmful if swallowed. Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema. May affect the central nervous system. Symptoms may include dizziness or drowsiness. Contains phosmet which produces cholinesterase inhibition in experimental animals. Symptoms of cholinesterase inhibition include salivation, sweating, headache, nausea, muscle twitching, tremors, uncoordination, blurred vision, tears, abdominal cramps, diarrhea, and chest discomfort. Severe cases of cholinesterase inhibition may lead to convulsions, pulmonary edema, respiratory failure, and death.

Mutagenicity : Phosmet is not a mutagen.

Carcinogenicity : Phosmet: not classified as a carcinogen. Naphthalene is listed as a suspected human carcinogen by NTP and IARC.

Reproductive Effects : Phosmet: no known reproductive effects. Methanol: May damage fertility or the unborn child.

SECTION 12: Ecological information

12.1. Toxicity

Phosmet (732-11-6)	
LC50 Acute fish 2	0.07 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute fish 3	0.17 mg/l (Exposure time: na - Sheepshead minnow)
LC50 Acute crustacea 1	0.0016 mg/l (Exposure time: na - Mysid shrimp)
LC50 Acute crustacea 2	0.002 mg/l (Exposure time: na - Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.0032 mg/l (Rainbow trout)
NOEC Chronic crustacea 1	0.0008 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.00051 mg/l (Mysid shrimp)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Other adverse effects

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock	
Ecological Fate	This pesticide is toxic to fish and aquatic invertebrates. This product is highly toxic to bees exposed directly to residues.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NA1993	Bulk Packaging only: Combustible liquid, n.o.s. (Methanol, Aromatic Naphtha) Marine Pollutant (Phosmet)	Combustible liquid	III	Marine pollutant
IMDG	UN3082	Packaging greater than 5 L: Environmentally Hazardous substance, Liquid, N.O.S. (Phosmet)	9	III	Marine pollutant
IATA	UN3082	Packaging greater than 5 L: Environmentally Hazardous substance, Liquid, N.O.S. (Phosmet)	9	III	Acute aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock

Safety Data Sheet

Naphthalene (91-20-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb
SARA Section 313 - Emission Reporting	0.1 %
Naphthalene, 1-methyl- (90-12-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Naphthalene, 2-methyl- (91-57-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Methanol (67-56-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	5000 lb
SARA Section 313 - Emission Reporting	1 %
EPA Labelling	
EPA Registration Number	2724-262
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Hazard statements	Warning
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	May be fatal if swallowed. Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes, or on clothing. Avoid contact with skin. Wear protective eyewear (goggles, face shield, or safety glasses), long-sleeved shirt, long pants, shoes and socks, and chemical-resistant gloves (barrier laminate or viton, selection category G).
FIFRA First aid	IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. NOTE TO PHYSICIAN/VETERINARIAN: Probable mucosal damage may contraindicate the use of gastric lavage. PROLATE/LINTOX-HD is an organophosphate insecticide and a cholinesterase inhibitor. If signs of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. If ingested, do not induce vomiting. May present aspiration hazard. Usual symptoms of organophosphate poisoning in humans include: headache, blurred vision, weakness, nausea, discomfort in the chest, vomiting, abdominal cramps, diarrhea, salivation, sweating, pin-point pupils. Usual symptoms of poisoning in animals include: salivation, labored breathing, gastrointestinal disturbance, tremors, staggering, and pin-point pupils.
FIFRA Environmental hazards	This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters or rinsate. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. This chemical can contaminate surface water. Under some conditions, it may have a high potential for runoff into surface water after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlying tile drainage systems that drain to surface water. Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals. This product is highly toxic to bees exposed directly to residues. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your cooperative Agricultural Extension Service.
FIFRA Physical hazards	Do not use or store near heat or open flame. Protect from temperatures below 20°F

15.2. US State regulations

Starbar Prolate/Lintox-HD Insecticidal Spray & Backrubber for Livestock

Safety Data Sheet

Naphthalene (91-20-3)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	

Methanol (67-56-1)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

SECTION 16: Other information

Date of issue : 01 June 2016
 Revision date : 10 November 2020

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.