



Bait Rotation Plan

QuikStrike® Fly Bait, Golden Malrin® Fly Bait*, Cyanarox® Insecticidal Bait, and DuraStrike™ Fly Scatter Bait can be used in rotation together to form a formidable rotational army to combat fly resistance. Each product contains a unique active ingredient from differing insecticidal classes, which uses a distinct mode of action to control flies. Rotating among these four diverse products can help you maintain the standard in fly control that you have come to expect from Starbar® Products.



DURASTRIKE™ FLY SCATTER BAIT VS. THE OTHERS



When it comes to application rate, DuraStrike™ Fly Scatter Bait provides flexibility with differing options. The amount of bait applied can be adjusted to the level of fly population present, even as low as 1.6 oz. per 1,000 sq. ft. for the maintenance of fly populations.

DuraStrike™ Fly Scatter Bait

Application Rate: 3.4 oz. per 1,000 sq. ft. to be applied when fly populations are low to moderate; 6.4 oz. per 1,000 sq. ft. when fly populations are high; and 1.6 oz. per 1,000 sq. ft. for maintenance of fly populations.

QuickBayt® Fly Bait

Application Rate: 6 oz. per 1,000 sq. ft.

Decimari® Fly Bait

Application Rate: 6.3 oz. per 1,000 sq. ft.



GETTING TO KNOW THE STARBAR® FAMILY OF BAITS

Starbar® fly baits offer superior control of nuisance and disease-spreading flies on your operation. Their bait matrices encourage flies to feed and can be used in rotation to fight resistance. DuraStrike™ Fly Scatter Bait can be used in conjunction with QuikStrike® Fly Bait, Golden Malrin® Fly Bait, and Cyanarox® Insecticidal Bait as an alternative or additional rotational product.



DuraStrike™ Fly Scatter Bait

- Active ingredient: Indoxacarb
- Can be used as part of an integrated pest management program
- Can be scattered or used in a bait station
- Can paint on water-diluted bait
- Reapply every 7 days
- Available in 1 lb. and 28 lb. sizes
- Application Rate: 1.6 to 6.4 oz. per 1,000 sq. ft.



QuikStrike® Fly Bait

- Active ingredients: Dinotefuran, (Z)-9-Tricosene
- A homogenous formulation
- Contains a (Z)-9-Tricosene attractant that lures both male and female flies to the bait
- Equally effective scattered or in a bait station
- Reapply as bait is consumed
- Available in 1 lb., 5 lb., and 40 lb. sizes
- Application Rate: 8 oz. per 1,000 sq. ft.



Golden Malrin® Fly Bait

- Active Ingredients: Methomyl, (Z)-9-Tricosene
- Consistent formula for killing power right down to the last grain of product
- Can be used daily, scattered, or in a bait station
- Reapply every 2-3 days
- Available in 10 lb. and 40 lb. sizes
- Application rate: 8 oz. per 1,000 sq. ft.



Cyanarox® Insecticidal Bait

- Active ingredient: Cyantraniliprole
- Low bulk density
- Highly attractive cockroach and fly bait
- Suitable for use indoors (in a bait station) and outdoors
- Can paint on water-diluted bait
- Reapply every 7 days
- Available in 4 lb. and 28 lb. sizes
- Application Rate: 3.2 to 6.4 oz. per 1,000 sq. ft.

When it comes to fly baits, look no further than Starbar® Products.
For more information, visit StarbarProducts.com.



*Golden Malrin® Fly Bait (EPA Reg. No. 2724-274) has been reclassified by the U.S. Environmental Protection Agency (EPA) as a Restricted Use Pesticide (RUP), effective as of July 29, 2025. Cyanarox, DuraStrike, Golden Malrin, QuikStrike, and Starbar are trademarks of Wellmark International. Decimari is a registered trademark of McLaughlin Gormley King Co. QuickBait is a registered trademark of Bayer Aktiengesellschaft Corp.